

Certificate and CRL Profiles

Buypass Class 3 Certificates

HISTORY OF CHANGES

Version	Date	Description
1.0	06.05.2005	Initial version.
1.1	06.06.2006	New chapter: 1.2 Buypass Class 3 Enterprise certificate profile.
1.2	07.03.2008	New chapter: 1.3 Buypass Class 3 SSL EV certificate profile.
1.2.1	05.04.2008	Updated chapter 1.3 and added new chapter 1.4 Buypass Class 3 SSL certificate profile.
1.2.2	20.08.2008	Updated chapter 1.4.
1.2.3	26.10.2009	Changed OCSP URL for SSL from https to http.
1.2.4	17.11.2009	Changed name of the document.
1.2.5	01.03.2010	Added DNS name to Subject Alternative Names for the SSL certificate profiles.
1.2.6	09.06.2010	Changed encoding of Business Categories according to ballot 43 CABForum.
1.3	18.10.2010	Changes due to new CA structure, support for SHA256 and longer keys.
1.4	22.02.2011	Changed URLs for CA1.
1.5	01.07.2012	Included support for BR and changes in CA structure.
2.0	01.12.2012	Changes related to new CA-structure.
3.0	11.06.2013	Included Enterprise certificates provided as hard tokens.
4.0	28.04.2014	Maximum lifetime of Qualified Certificates changed from 3 years to 5 years.
5.0	09.09.2014	Product name Buypass Business SSL Certificates changed name to Buypass Business Plus SSL Certificates.
6.0	05.01.2015	EBR (European Business Register) included for SSL Certificates. Certificate Transparency included for EV SSL Certificates. RSA 1024 bits removed for all Certificates.
7.0	11.05.2015	Lifetime of Buypass Enterprise Certificates changed from <= 38 months to <= 42 months due to expanded renewal period.
8.0	11.01.2016	Added CABF EV OID in EV Certificates.
9.0	15.03.2018	Adapted to new ETSI profiles. Removed SHA-1 and CA1. Reduced validity period. Added certificate and CRL profiles for CA certificates. Added revocation status information.
10.0	05.03.2019	Included EKU, and Key Usage for Enterprise certificates where subscriber generates private key.
11.0	26.03.2019	Included EKU in Buypass Class 3 CA 2.
12.0	02.06.2019	Included profiles for PSD2 Certificates, added UPN and Smartcard logon.
13.0	12.07.2019	Included Key Usage Digital Signature, Non-Repudiation (OxCO) for PSD2 QC eSeal.
14.0	04.02.2020	Included cabfOrganizationIdentifier for PSD2 QWACs.
15.0	03.03.2020	Included NCP and NCP+ (ETSI profiles). Included SerialNumber as an option in Enterprise Certificates with ETSI profile.
16.0	01.09.2020	Maximum TLS certificate validity period of 398 days.
17.0	01.12.2020	Included generation 2 (G2) of Root CAs and issuing CAs.
17.1	22.02.2021	Included support for ECC in TLS certificates.
17.2	03.05.2021	Maximum validity period for PSD2 QWAC set to 825 days.
18.0	10.05.2022	Support for national SEID 2.0 certificate profiles.
18.1	21.11.2022	Support for QCP-I-qscd, replaced QCP-w with QEVCP-w.

TABLE OF CONTENTS

1	Certificate and CRL profiles for Subscriber certificates.....	4
1.1	Buypass Class 3 Person Qualified certificate profile	4
1.2	Buypass Class 3 Enterprise certificate profile.....	7
1.3	Buypass SSL Evident certificate profile.....	13
1.4	Buypass SSL Business Plus certificate profile	20
1.5	CRL profile	21
2	Certificate and CRL profiles for CA certificates	22
2.1	Buypass Class 3 CA certificate profile	22
2.2	CRL profile.....	26
3	Revocation status information	27
3.1	CRL	27
3.2	OCSP	28

1 Certificate and CRL profiles for Subscriber certificates

1.1 Buypass Class 3 Person Qualified certificate profile

1.1.1 Certificate profile according to National legislation

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.1.3
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 5 years
Subject	C=NO	M	B	
	O=<Subscriber Name>- <Subscriber Id>	O	B	Subscriber Name and Id according to 'Enhetsregisteret'
	OU=<Subscriber Department>	O	B	
	CN=<Subject Name>	M	B	FirstName + MiddleName + LastName
	SerialNumber=9578-4050-<BuypassId>	M	B	<BuypassId>: unique Buypass identifier for Subject
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2032 bits
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.1 or Policy OID = 2.16.578.1.26.1.3.6	M	N	Private keys in smart card or Private keys in HSM
Subject Alternative Name	RFC822Name=<Subject email address> Other Name: Principal Name=<User Principal Name>	O	N	
CRL Distribution Point	<CA specific>	M	N	See 1.1.3
Authority Information Access	<CA specific>	M	N	See 1.1.3
Key Usage	Digital Signature, Key Encipherment, Data Encipherment, Key Agreement (0xB8)	M	C	Certificate 1
	Non-Repudiation (0x40)	M	C	Certificate 2
Extended Key Usage	Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	
	Smart Card Logon (1.3.6.1.4.1.311.20.2.2)	O	N	
Qualified Certificate Statement	esi4-qcStatement-1	M	N	

1.1.2 Certificate profile according to Regulation (EU) No 910/2014 (eIDAS)

This profile is used for person certificates according to the national SEID 2.0 certificate profiles.

These certificates are issued as combinations of a Non-Qualified and a Qualified Certificate. The Non-Qualified Certificate is used for authentication and encryption, the Qualified Certificate is used for signing.

Non-Qualified Certificates:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.1.3
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 39 months
Subject	C=NO	M	B	
	SerialNumber= UN:NO-9578-4050-<BuypassId>	M	B	<BuypassId>: unique Buypass identifier for Subject
	Surname	M	B	LastName according to FREG
	GivenName	M	B	FirstName + MiddleName according to FREG
	CommonName	M	B	Subjects preferred name
	O=<Subscriber Name> <OrganizationIdentifier>	O	B	Subscriber Name according to 'Enhetsregisteret' Subscriber Identifier (orgno) according to 'Enhetsregisteret', e.g. NTRNO-<org.no>
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.1 or Policy OID = 2.16.578.1.26.1.3.6	M	N	Private keys in smart card or Private keys in HSM
	Policy OID = 0.4.0.2042.1.2	M	N	ETSI NCP+
Subject Alternative Name	Other Name: Principal Name=<User Principal Name>	O	N	
CRL Distribution Point	<CA specific>	M	N	See 1.1.3
Authority Information Access	<CA specific>	M	N	See 1.1.3
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	
Extended Key Usage	Smart Card Logon (1.3.6.1.4.1.311.20.2.2)	O	N	
Qualified Certificate Statements	qcStatement-2 id-etsi-qcs-semanticId-Natural nameRegistrationAuthorities {id-etsi-qcs-semanticId-Legal }	M	N	Semantic Identifiers The legal person identifier is only included if Subject.OrganizationIdentifier is present.

- 1) Mandatory or Optional field
- 2) Basic, Critical or Non-Critical extensions

Qualified Certificates:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	Buypass Class 3 CA HT PS as defined in 1.1.3
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 39 months
Subject	C=NO	M	B	
	SerialNumber=UN:NO-9578-4050- <BuypassId>	M	B	<BuypassId>: unique Buypass identifier for Subject
	Surname	M	B	LastName according to FREG
	GivenName	M	B	FirstName + MiddleName according to FREG
	CommonName	M	B	Subject preferred name
	O=<Subscriber Name> <OrganizationIdentifier>	O	B	Subscriber Name according to 'Enhetsregisteret' Subscriber Identifier according to 'Enhetsregisteret', e.g. NTRNO-<org.no>
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.1 or Policy OID = 2.16.578.1.26.1.3.6	M	N	Private keys in smart card or Private keys in HSM
	Policy OID = 0.4.0.194112.1.0	M	N	ETSI QCP-n
CRL Distribution Point	<CA specific>	M	N	See 1.1.3
Authority Information Access	<CA specific>	M	N	See 1.1.3
Key Usage	Non-Repudiation (0x40)	M	C	
Qualified Certificate Statements	qcStatement-2 id-etsi-qcs-semanticsId-Natural nameRegistrationAuthoritites {id-etsi-qcs-semanticsId-Legal}	M	N	Semantic Identifiers The legal person identifier is only included if Subject.OrganizationIdentifier is present.
	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-esign	M	N	EU QC for electronic signatures
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)

- 1) Mandatory or Optional field
- 2) Basic, Critical or Non-Critical extensions

1.1.3 CA specific details

Buypass Class 3 CA 3:

Issuer	CRL Distribution Point	Authority Information Access
CN = Buypass Class 3 CA 3 O = Buypass AS-983163327 C = NO	<p>[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypass.no/crl/BPClass3CA3.crl</p> <p>[2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://ldap.buypass.no/dc=Buypass,dc=NO,CN=Buypass Class 3 CA 3?certificateRevocationList (ldap://ldap.buypass.no/dc=Buypass,dc=NO,CN=Buypass%20Class%203%20CA%203?certificateRevocationList)</p>	<p>[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.no/ocsp/BPClass3CA3</p> <p>[2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.buypass.no/crt/BPClass3CA3.cer</p>

Buypass Class 3 CA HT PS:

Issuer	CRL Distribution Point	Authority Information Access
CN = Buypass Class 3 CA G2 HT Person O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	<p>[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3CaG2HTTPS.crl</p>	<p>[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL=http://ocspps.buypassca.com</p> <p>[2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crt.buypassca.com/BPCI3CaG2HTTPS.cer</p>

1.2 Buypass Class 3 Enterprise certificate profile

1.2.1 Certificate profile according to National legislation

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.2.5
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 42 months
Subject	C=NO	M	B	
	O=<Subscriber Name>	M	B	According to 'Enhetsregisteret'
	OU=<Subscriber Department>	O	B	
	CN=<Subject name>	M	B	Subject name as defined by Subscriber (e.g. subscriber name, system name, application name)
SerialNumber		M	B	Organization number according to 'Enhetsregisteret'
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits for Soft Tokens and 2032 bits for Hard Tokens

Field	Value	1)	2)	Comment
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.2 or Policy OID = 2.16.578.1.26.1.3.5	M	N	Soft Token or Hard Token
Subject Alternative Name	RFC822Name=<Subject email address>	O	N	
CRL Distribution Point	<CA specific>	M	N	See 1.2.5
Authority Information Access	<CA specific>	M	N	See 1.2.5
Key Usage	Digital Signature, Key Encipherment, Data Encipherment (0xB0)	M	C	CA generated Private Keys, Certificate 1
	Non-Repudiation (0x40)	M	C	CA generated Private Keys, Certificate 2
Extended Key Usage	Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	CA generated Private Keys
Key Usage	Digital Signature, Non-Repudiation, Key Encipherment, (0xE0) or Non-Repudiation (0x40)	M	C	Subscriber generated Private Key
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	Subscriber generated Private Key

1.2.2 Enterprise certificate profile according to Regulation (EU) No 910/2014 (eIDAS)

This profile is used for enterprise certificates according to the national SEID 2.0 certificate profiles.

These certificates are typically issued as combinations of two Certificates, one certificate is used for authentication and encryption (Certificate 1) and one certificate is used for signing (Certificate 2).

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.2.5
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 42 months
Subject	C=NO	M	B	
	O=<Subscriber Name>	M	B	According to an authoritative source
	Organization Identifier=<Subscriber Identifier>	M	B	According to an authoritative source
	OU=<Subscriber Department>	O	B	
	CN=<Subject name>	M	B	Subject name as defined by Subscriber (e.g. subscriber name, system name, application name)
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 3072 bits or ECDSA (NIST P-256)

Field	Value	1)	2)	Comment
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.2 or Policy OID = 2.16.578.1.26.1.3.5	M	N	Soft Token or Hard Token
	Policy OID = 0.4.0.2042.1.1 or Policy OID = 0.4.0.2042.1.2	O	N	ETSI NCP or ETSI NCP+
CRL Distribution Point	<CA specific>	M	N	See 1.2.5
Authority Information Access	<CA specific>	M	N	See 1.2.5
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	CA generated Private Keys, Certificate 1 (RSA)
	Digital Signature (0x80)	M	C	CA generated Private Keys, Certificate 1 (ECDSA)
	Non-Repudiation (0x40)	M	C	CA generated Private Keys, Certificate 2
Key Usage	Digital Signature, Non-Repudiation, Key Encipherment, (0xE0)	M	C	Subscriber generated Private Key (RSA)
	Digital Signature, Non-Repudiation (0xC0)	M	C	Subscriber generated Private Key (ECDSA)
Qualified Certificate Statements	qcStatement-2 id-etsi-qcs-semanticsId-Legal	M	N	Semantic Identifiers

1.2.3 QC eSeal certificate profile according to Regulation (EU) No 910/2014 (eIDAS)

In case Bypass generates the private keys, these certificates are issued as combinations of a Qualified and a Non-Qualified Certificate. The Non-Qualified Certificate is used for authentication and encryption, the Qualified Certificate is used for signing.

Non-Qualified Certificates:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.2.5
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 42 months
Subject	C=NO	M	B	
	O=<Subscriber Name>	M	B	According to an authoritative source
	Organization Identifier=<Subscriber Identifier>	M	B	According to an authoritative source
	OU=<Subscriber Department>	O	B	
	CN=<Subject name>	M	B	Subject name as defined by Subscriber (e.g. subscriber name, system name, application name)

Field	Value	1)	2)	Comment
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 3072 bits (from 23.08.2021) or ECDSA (NIST P-256)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.2 or Policy OID = 2.16.578.1.26.1.3.5	M	N	Soft Token or Hard Token
	Policy OID = 0.4.0.2042.1.1 or Policy OID = 0.4.0.2042.1.2	O	N	ETSI NCP or ETSI NCP+
CRL Distribution Point	<CA specific>	M	N	See 1.2.5
Authority Information Access	<CA specific>	M	N	See 1.2.5
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	CA generated Private Keys (RSA)
	Digital Signature (0x80)	M	C	CA generated Private Keys (ECDSA)
Extended Key Usage	Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	CA generated Private Keys Only for CA = Buypass Class 3 CA 3
Qualified Certificate Statements	qcStatement-2 id-etsi-qcs-semanticsId-Legal	M	N	Semantic Identifiers Not for Buypass Class 3 CA 3

Qualified Certificates:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.2.5
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 42 months
Subject	C=NO	M	B	
	O=<Subscriber Name>	M	B	According to an authoritative source
	Organization Identifier=<Subscriber Identifier>	M	B	According to an authoritative source
	OU=<Subscriber Department>	O	B	
	CN=<Subject name>	M	B	Subject name as defined by Subscriber (e.g. subscriber name, system name, application name)
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 3072 bits (from 23.08.2021) or ECDSA (NIST P-256)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.2 or Policy OID = 2.16.578.1.26.1.3.5	M	N	Soft Token or Hard Token
	Policy OID = 0.4.0.194112.1.1	O	N	ETSI QCP-I or

Field	Value	1)	2)	Comment
	Policy OID = 0.4.0.194112.1.3	O	N	ETSI QCP-I-qscd
CRL Distribution Point	<CA specific>	M	N	See 1.2.5
Authority Information Access	<CA specific>	M	N	See 1.2.5
Key Usage	Non-Repudiation (0x40)	M	C	CA generated Private Keys
Extended Key Usage	Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	CA generated Private Keys Only for CA = Buypass Class 3 CA 3
Key Usage	Non-Repudiation (0x40)	M	C	Subscriber generated Private Key
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	Subscriber generated Private Key Only for CA = Buypass Class 3 CA 3
Qualified Certificate Statements	qcStatement-2 id-etsi-qcs-semanticId-Legal	M	N	Semantic Identifiers Not for Buypass Class 3 CA 3
	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-4	O	N	The private key resides in a QSCD
	esi4-qcStatement-6 id-etsi-qct-eseal	M	N	EU QC for electronic seals
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)

1.2.4 PSD2 Certificate profile according to Regulation (EU) No 389/2018 (RTS)

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	<CA specific>	M	B	See 1.2.5
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 42 months
Subject	C=NO	M	B	
	O=<Subscriber Name>	M	B	According to an authoritative source
	OU=<Subscriber Department>	O	B	
	CN=<Subject name>	M	B	Subject name as defined by Subscriber (e.g. subscriber name, system name, application name)
Organization Identifier		M	B	PSD2 Authorization Number according to an NCA (formatted according to ETSI TS 119 495)
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (NIST P-256)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.2 or Policy OID = 2.16.578.1.26.1.3.5	M	N	Soft Token or Hard Token
	Policy OID = 0.4.0.194112.1.1	O	N	ETSI QCP-I (QC only)

Field	Value	1)	2)	Comment
Subject Alternative Name	RFC822Name=<Subject email address>	O	N	
CRL Distribution Point	<CA specific>	M	N	See 1.2.5
Authority Information Access	<CA specific>	M	N	See 1.2.5
Key Usage	Non-Repudiation (0x40) or Digital Signature, Non-Repudiation (0xC0)	M	C	
Extended Key Usage	Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	CA generated Private Key Only for CA = Buypass Class 3 CA 3
Extended Key Usage	Server Authentication (1.3.6.1.5.5.7.3.1), Client Authentication (1.3.6.1.5.5.7.3.2), Secure Email (1.3.6.1.5.5.7.3.4)	M	N	Subscriber generated Private Key Only for CA = Buypass Class 3 CA 3
Qualified Certificate Statements	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-eseal	M	N	EU QC for electronic seals
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)
	etsi-psd2-qcStatement	M	N	PSD2QcType ::= SEQUENCE { rolesOfPSP RolesOfPSP, nCAName NCAName, nCAId NCAId }

1) Mandatory or Optional field

2) Basic, Critical or Non-Critical extensions

1.2.5 CA specific details

Buypass Class 3 CA 3 (according to National legislation):

Issuer	CRL Distribution Point	Authority Information Access
CN=Buypass Class 3 CA 3 O= Buypass AS-983163327 C=NO	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypass.no/crl/BPClass3CA3.crl [2]CRL Distribution Point Distribution Point Name: Full Name: URL=ldap://ldap.buypass.no/dc=Buypass,dc=NO,CN=Buypass Class 3 CA 3 ?certificateRevocationList (ldap://ldap.buypass.no/dc=Buypass,dc=NO, CN=Buypass%20Class%203%20CA%203? certificateRevocationList)	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.no/ocsp/BPClass3CA3 [2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.buypass.no/crt/BPClass3CA3.cer

Buypass Class 3 CA 3 (according to Regulation (EU) No 910/2014 (eIDAS)):

Issuer	CRL Distribution Point	Authority Information Access
CN=Buypass Class 3 CA 3 O= Buypass AS-983163327 C=NO	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypass.no/crl/BPClass3CA3.crl	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocspec.buypass.com [2]Authority Info Access

Issuer	CRL Distribution Point	Authority Information Access
		Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crl.buypass.no/crt/BPClass3CA3.cer

Buypass Class 3 CA ST Business:

Issuer	CRL Distribution Point	Authority Information Access
CN = Buypass Class 3 CA G2 ST Business O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3CaG2STBS.crl	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL= http://ocspbs.buypassca.com [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crl.buypassca.com/BPCI3CaG2STBS.cer

Buypass Class 3 CA HT Business:

Issuer	CRL Distribution Point	Authority Information Access
CN = Buypass Class 3 CA G2 HT Business O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3CaG2HTBS.crl	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL= http://ocspbs.buypassca.com [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crl.buypassca.com/BPCI3CaG2HTBS.cer

1.3 Buypass SSL Evident certificate profile

1.3.1 Certificate profile according to CA/Browser Forum EV Guidelines

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 CA 2 O= Buypass AS-983163327 C=NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 398 days
Subject	C=<country>	M	B	According to an authoritative source
	jurisdictionOfIncorporation CountryName=<country>	M	B	OBJECT IDENTIFIER ::= 1.3.6.1.4.1.311.60.2.1.3
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name. Wild card not allowed.
	SerialNumber		M	B

Field	Value	1)	2)	Comment
	BusinessCategory=["Private Organization" "Government Entity" "Business Entity" "Non-Commercial Entity"]	M	B	Type of Subject
	LocalityName= <City or town – postal area>	M	B	Physical location of Subscriber place of Business
	PostalCode= <postal code>	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.3	M	N	Buypass SSL Evident (EV) OID CABF EV OID from 11.1.2016
	Policy OID = 2.23.140.1.1	M	N	
	Policy Qualifier ID = id-qt 1	M	N	Reference to CPS
Certificate Policies	Policy Qualifier = https://www.buypass.no/cps	M	N	
	CRL Distribution Point	URL = http://crl.buypass.no/crl/BPClass3CA2.crl	M	N
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.com [2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.buypass.no/crt/BPClass3CA2.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain name(s), where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA keys
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
Signed Certificate TimeStamp List	(OID=1.3.5.1.4.1.11129.2.4.2)	M	N	2 or 3 Signed Certificate Timestamps from CT-logs embedded in the final certificate
Poison Extension	(OID=1.3.5.1.4.1.11129.2.4.3)	M	C	Poison Extension, Precertificate only

1.3.2 Certificate profile according to Regulation (EU) No 910/2014 (eIDAS)

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsads(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 CA 2	M	B	

Field	Value	1)	2)	Comment
	O= Buypass AS-983163327 C=NO			
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 398 days
Subject	C=<country>	M	B	According to an authoritative source
	jurisdictionOfIncorporation CountryName=<country>	M	B	OBJECT IDENTIFIER ::= 1.3.6.1.4.1.311.60.2.1.3
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name. Wild card not allowed.
	SerialNumber	M	B	Organization number according to an authoritative source
	BusinessCategory=["Private Organization" "Government Entity" "Business Entity" "Non-Commercial Entity"]	M	B	Type of Subject
	LocalityName= <City or town - postal area> PostalCode= <postal code>	M	B	Physical location of Subscriber place of Business
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.3 Policy OID = 2.23.140.1.1 Policy OID = 0.4.0.194112.1.4	M	N	Buypass SSL Evident (EV) OID CABF EV OID from 11.1.2016 ETSI QEVCP-w from 3.6.2019
	Policy Qualifier ID = id-qt 1	M	N	Reference to CPS
	Policy Qualifier = https://www.buypass.no/cps	M	N	
CRL Distribution Point	URL = http://crl.buypass.no/crl/BPClass3CA2.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.com [2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.buypass.no/crt/BPClass3CA2.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain name(s), where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA keys
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	

Field	Value	1)	2)	Comment
Signed Certificate TimeStamp List	(OID=1.3.5.1.4.1.11129.2.4.2)	M	N	2 or 3 Signed Certificate Timestamps from CT-logs embedded in the final certificate
Poison Extension	(OID=1.3.5.1.4.1.11129.2.4.3)	M	C	Poison Extension, Precertificate only
Qualified Certificate Statements	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-web	M	N	EU QC for website authentication
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)

1.3.3 PSD2 Certificate profile according to Regulation (EU) No 389/2018 (RTS)

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 CA 2 O= Buypass AS-983163327 C=NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 398 days
Subject	C=<country>	M	B	According to an authoritative source
	jurisdictionOfIncorporation CountryName=<country>	M	B	OBJECT IDENTIFIER ::= 1.3.6.1.4.1.311.60.2.1.3
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name. Wild card not allowed.
	SerialNumber	M	B	Organization number according to an authoritative source
	Organization Identifier	M	B	PSD2 Authorization Number according to an NCA (formatted according to ETSI TS 119 495)
	BusinessCategory=["Private Organization" "Government Entity" "Business Entity" "Non-Commercial Entity "]	M	B	Type of Subject
	LocalityName= <City or town - postal area>	M	B	Physical location of Subscriber place of Business
	PostalCode= <postal code>	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID= 2.16.578.1.26.1.3.3 Policy OID= 2.23.140.1.1 Policy OID=0.4.0.194112.1.4	M	N	Buypass SSL Evident (EV) OID CABF EV OID ETSI QEVCP-w
	Policy Qualifier ID = id-qt 1	M	N	Reference to CPS

Field	Value	1)	2)	Comment
	Policy Qualifier = https://www.bypass.no/cps	M	N	
CRL Distribution Point	URL = http://crl.bypass.no/crl/BPClass3CA2.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.bypass.com [2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.bypass.no/crt/BPClass3CA2.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain name(s), where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA keys
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
cabfOrganizationIdentifier	OID: 2.23.140.3.1	M	N	PSD2 Authorization Number formatted according to EV Guidelines, from 1.2.2020
Signed Certificate TimeStamp List	(OID=1.3.5.1.4.1.11129.2.4.2)	M	N	2 or 3 Signed Certificate Timestamps from CT-logs embedded in the final certificate
<i>Poison Extension</i>	<i>(OID=1.3.5.1.4.1.11129.2.4.3)</i>	<i>M</i>	<i>C</i>	<i>Poison Extension, Precertificate only</i>
Qualified Certificate Statements	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-web	M	N	EU QC for website authentication
	esi4-qcStatement-5 <PdsLocation url= https://www.bypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)
	etsi-psd2-qcStatement	M	N	PSD2QcType ::= SEQUENCE { rolesOfPSP RolesOfPSP, nCAName NCAName, nCAId NCAId }

1.3.4 QWAC Certificate profile according to Regulation (EU) No 910/2014 (eIDAS)

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN = Bypass Class 3 CA G2 QC WA O = Bypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Validity	notBefore<time>	M	B	Lifetime of certificate <= 398 days

Field	Value	1)	2)	Comment
	notAfter<time>			
Subject	C=<country>	M	B	According to an authoritative source
	jurisdictionOfIncorporation CountryName=<country>	M	B	OBJECT IDENTIFIER ::= 1.3.6.1.4.1.311.60.2.1.3
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name. Wild card not allowed.
	SerialNumber	M	B	Organization number according to an authoritative source
	BusinessCategory=["Private Organization" "Government Entity" "Business Entity" "Non-Commercial Entity"]	M	B	Type of Subject
	LocalityName= <City or town - postal area>	M	B	Physical location of Subscriber place of Business
	PostalCode= <postal code>	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 0.4.0.194112.1.4 Policy OID = 2.16.578.1.26.1.3.7	M	N	ETSI QEVCP-w Bypass Qualified Website Authentication Certificate OID Reference to CPS
	Policy Qualifier ID = id-qt 1	M	N	
	Policy Qualifier = https://www.bypass.no/cps	M	N	
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.bypassca.com/BPCI3CaG2QCWA.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL= http://ocspwa.bypassca.com [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crt.bypassca.com/BPCI3CaG2QCWA.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain name(s), where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA keys
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
Qualified Certificate Statements	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-web	M	N	EU QC for website authentication

Field	Value	1)	2)	Comment
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)

1.3.5 PSD2 QWAC Certificate profile according to Regulation (EU) No 389/2018 (RTS)

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN = Buypass Class 3 CA G2 QC WA O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 825 days
Subject	C=<country>	M	B	According to an authoritative source
	jurisdictionOfIncorporation CountryName=<country>	M	B	OBJECT IDENTIFIER ::= 1.3.6.1.4.1.311.60.2.1.3
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name. Wild card not allowed.
	SerialNumber	M	B	Organization number according to an authoritative source
	Organization Identifier	M	B	PSD2 Authorization Number according to an NCA (formatted according to ETSI TS 119 495)
	BusinessCategory=["Private Organization" "Government Entity" "Business Entity" "Non-Commercial Entity"]	M	B	Type of Subject
	LocalityName= <City or town - postal area> PostalCode= <postal code>	M	B	Physical location of Subscriber place of Business
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID=0.4.0.19495.3.1 Policy OID = 2.16.578.1.26.1.3.7	M	N	ETSI QCP-w-psd2 Buypass Qualified Website Authentication Certificate OID
	Policy Qualifier ID = id-qt 1	M	N	
	Policy Qualifier = https://www.buypass.no/cps	M	N	Reference to CPS
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name:	M	N	

Field	Value	1)	2)	Comment
	Full Name: URL= http://crl.buypassca.com/BPCI3CaG2QCWA.crl			
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol (1.3.6.1.5.5.7.48.1) Alternative Name: URL= http://ocspwa.buypassca.com [2]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crl.buypassca.com/BPCI3CaG2QCWA.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain name(s), where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA keys
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
cabfOrganizationIdentifier	OID: 2.23.140.3.1	M	N	PSD2 Authorization Number formatted according to EV Guidelines, from 1.2.2020
Qualified Certificate Statements	esi4-qcStatement-1	M	N	EU Qualified Certificate (QC)
	esi4-qcStatement-6 id-etsi-qct-web	M	N	EU QC for website authentication
	esi4-qcStatement-5 <PdsLocation url= https://www.buypass.no/pds/pds_en.pdf language="en"/>	M	N	URL to PKI Disclosure Statement (PDS)
	etsi-psd2-qcStatement	M	N	PSD2QcType ::= SEQUENCE { rolesOfPSP RolesOfPSP, nCAName NCAName, nCAId NCAId }

- 1) Mandatory or Optional field
- 2) Basic, Critical or Non-Critical extensions

1.4 Buypass SSL Business Plus certificate profile

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 CA 2 O= Buypass AS-983163327 C=NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 398 days
Subject	C=<country>	M	B	According to an authoritative source
	O=<Subscriber Name>	M	B	According to an authoritative source
	CN=<Domain name>	M	B	Fully qualified domain name
	SerialNumber	M	B	Organization number according to an authoritative source

Field	Value	1)	2)	Comment
	LocalityName= <City or town - postal area>	M	B	Physical location of Subscriber place of Business
	PostalCode= <postal code>	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits or ECDSA (only NIST P-256 is accepted)
Basic Constraints	Subject Type=End Entity Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the CA public key.	M	N	
Subject Key Identifier	Key Identifier for the Subject Public Key	M	N	
Certificate Policies	Policy OID = 2.16.578.1.26.1.3.4 Policy OID = 2.23.140.1.2.2	M	N	Buypass SSL Business Plus OID CABF BR OV OID
CRL Distribution Point	URL = http://crl.buypass.no/crl/BPClass3CA2.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.no/ocsp/BPOcsp before December 2016 and URL = http://ocsp.buypass.com since December 2016 [2]Authority Info Access Access Method= Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL = http://crt.buypass.no/crt/BPClass3CA2.cer	M	N	
Subject Alternative Name	DNS Name	M	N	Set of fully qualified domain names and/or wildcard domain names, where one is equal to Subject.CN
Key Usage	Digital Signature, Key Encipherment (0xA0)	M	C	RSA key
	Digital Signature (0x80)	M	C	ECDSA keys
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
Signed Certificate TimeStamp List	(OID=1.3.5.1.4.1.11129.2.4.2)	M	N	2 or 3 Signed Certificate Timestamps from CT-logs embedded in the final certificate
Poison Extension	(OID=1.3.5.1.4.1.11129.2.4.3)	M	C	Poison Extension, Precertificate only

1) Mandatory or Optional field

2) Basic, Critical or Non-Critical extensions

1.5 CRL profile

Buypass Class 3 CA 3 and Buypass Class 3 CA 2:

Field	Value	1)	2)	Comment
Version	X509 version 2 CRL	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsads(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 CA <ca id> O= Buypass AS-983163327 C=NO	M	B	<ca id> is 2 or 3

Field	Value	1)	2)	Comment
This Update	UTCTime	M	B	Time of CRL generation
Next Update	UTCTime	M	B	Latest time the next CRL is issued
Revoked Certificates	List of non-expired revoked certificates	O	B	

Buypass Class 3 CA G2 HT Person, Buypass Class 3 CA G2 HT Business, Buypass Class 3 CA G2 ST Business and Buypass Class 3 CA G2 QC WA:

Field	Value	1)	2)	Comment
Version	X509 version 2 CRL	M	B	
Signature Algorithm	Sha256WithRSAEncryption	M	B	Sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN = Buypass Class 3 CA G2 <ca id> O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	<ca id> is 'HT Person', 'HT Business', 'ST Business' or 'QC WA'.
This Update	UTCTime	M	B	Time of CRL generation
Next Update	UTCTime	M	B	Latest time the next CRL is issued
Revoked Certificates	List of non-expired revoked certificates	O	B	

Each entry in the RevokedCertificates list has the following content:

Field	Value	1)	2)	Comment
Serial Number	Serial Number of the revoked certificate	M	B	
Revocation Date	UTCTime	M	B	Date and time the revocation was registered
Revocation Reason	Reason Code for the revocation	O	N	

- 1) Mandatory or Optional field
- 2) Basic, Critical or Non-Critical extensions

2 Certificate and CRL profiles for CA certificates

2.1 Buypass Class 3 CA certificate profile

2.1.1 Root CA certificate

Buypass Class 3 CA Root CA:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 Root CA O= Buypass AS-983163327 C=NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 30 years

Field	Value	1)	2)	Comment
Subject	CN=Buypass Class 3 Root CA O= Buypass AS-983163327 C=NO	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 4096 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Subject Key Identifier	Key Identifier for the Root CA public key	M	N	
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	

Buypass Class 3 Root CA G2 HT, Buypass Class 3 Root CA G2 ST and Buypass Class 3 Root CA G2 QC:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	Sha512WithRSAEncryption	M	B	Sha512WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 13 }
Issuer	CN = Buypass Class 3 Root CA G2 <ca id> O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	<ca id> is 'HT', 'ST' or 'QC'.
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 25 years
Subject	CN = Buypass Class 3 Root CA G2 <ca id> O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	<ca id> is 'HT', 'ST' or 'QC'.
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 4096 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Subject Key Identifier	Key Identifier for the Root CA public key	M	N	
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	
Qualified Certificate Statement	id-qcs-pkixQCSyntax-v2 id-etsi-qcs-SemanticsId-Legal	M	N	

2.1.2 Intermediate CA certificates

Buypass Class 3 CA 3 and Buypass Class 3 CA 2:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 Root CA O= Buypass AS-983163327 C=NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 20 years
Subject	CN=Buypass Class 3 CA <ca id> O= Buypass AS-983163327	M	B	<ca id> is 2 or 3

Field	Value	1)	2)	Comment
	C=NO			
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 2048 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the Root CA public key	M	N	
Subject Key Identifier	Key Identifier for the CA Public Key	M	N	
Certificate Policies	Policy OID= <All issuance policies>	M	N	
CRL Distribution Point	URL = http://crl.buypass.no/crl/BPClass3RootCA.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=On-line Certificate Status Protocol(1.3.6.1.5.5.7.48.1) Alternative Name: URL = http://ocsp.buypass.com	M	N	For Buypass Class 3 CA 2 only
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	For Buypass Class 3 CA 2 only

Buypass Class 3 CA G2 HT Person and Buypass Class 3 CA G2 HT Business:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	Sha512WithRSAEncryption	M	B	Sha512WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 13 }
Issuer	CN = Buypass Class 3 Root CA G2 HT O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 20 years
Subject	CN = Buypass Class 3 CA G2 HT <ca id> O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	<ca id> is 'Person' or 'Business'
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 4096 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the Root CA public key	M	N	
Subject Key Identifier	Key Identifier for the CA Public Key	M	N	
Certificate Policies	Policy OID= <All issuance policies>	M	N	
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3RootCaG2HT.crl	M	N	

Field	Value	1)	2)	Comment
Authority Information Access	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crt.buypassca.com/BPCI3RootCaG2HT.cer	M	N	
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	
Qualified Certificate Statement	id-qcs-pkixQCSyntax-v2 id-etsi-qcs-SemanticsId-Legal	M	N	

Buypass Class 3 CA G2 ST Business:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	Sha512WithRSAEncryption	M	B	Sha512WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 13 }
Issuer	CN = Buypass Class 3 Root CA G2 ST O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 20 years
Subject	CN = Buypass Class 3 CA G2 ST Business O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 4096 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the Root CA public key	M	N	
Subject Key Identifier	Key Identifier for the CA Public Key	M	N	
Certificate Policies	Policy OID= <All issuance policies>	M	N	
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3RootCaG2ST.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crt.buypassca.com/BPCI3RootCaG2ST.cer	M	N	
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	
Qualified Certificate Statement	id-qcs-pkixQCSyntax-v2 id-etsi-qcs-SemanticsId-Legal	M	N	

Buypass Class 3 CA G2 QC WA:

Field	Value	1)	2)	Comment
Version	X509 version 3 certificates	M	B	
Serial number	Unique certificate serial number	M	B	
Signature Algorithm	Sha512WithRSAEncryption	M	B	Sha512WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 13 }
Issuer	CN = Buypass Class 3 Root CA G2 QC O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Validity	notBefore<time> notAfter<time>	M	B	Lifetime of certificate <= 20 years
Subject	CN = Buypass Class 3 CA G2 QC WA O = Buypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	
Subject Public Key Info	Subject Public Key	M	B	RSA key size is at least 4096 bits
Basic Constraints	Subject Type=CA Path Length Constraint=None	M	B	
Authority Key Identifier	Key Identifier for the Root CA public key	M	N	
Subject Key Identifier	Key Identifier for the CA Public Key	M	N	
Certificate Policies	Policy OID= <All issuance policies>	M	N	
CRL Distribution Point	[1]CRL Distribution Point Distribution Point Name: Full Name: URL= http://crl.buypassca.com/BPCI3RootCaG2QC.crl	M	N	
Authority Information Access	[1]Authority Info Access Access Method=Certification Authority Issuer (1.3.6.1.5.5.7.48.2) Alternative Name: URL= http://crt.buypassca.com/BPCI3RootCaG2QC.cer	M	N	
Key Usage	Certificate Signing, CRL Signing (0x06)	M	C	
Extended Key Usage	Server Authentication (OID=1.3.6.1.5.5.7.3.1) Client Authentication (OID=1.3.6.1.5.5.7.3.2)	M	N	
Qualified Certificate Statement	id-qcs-pkixQCSyntax-v2 id-etsi-qcs-SemanticsId-Legal	M	N	

1) Mandatory or Optional field2) Basic, Critical or Non-Critical extensions

2.2 CRL profile

Buypass Class 3 Root CA:

Field	Value	1)	2)	Comment
Version	X509 version 2 CRL	M	B	
Signature Algorithm	sha256WithRSAEncryption	M	B	sha256WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 11 }
Issuer	CN=Buypass Class 3 Root CA	M	B	

Field	Value	1)	2)	Comment
	O= Bypass AS-983163327 C=NO			
This Update	UTCTime	M	B	Time of CRL generation
Next Update	UTCTime	M	B	Latest time the next CRL is issued
Revoked Certificates	List of non-expired revoked CA certificates	O	B	

Bypass Class 3 Root CA G2 HT, Bypass Class 3 Root CA G2 ST and Bypass Class 3 Root CA G2 QC:

Field	Value	1)	2)	Comment
Version	X509 version 2 CRL	M	B	
Signature Algorithm	Sha512WithRSAEncryption	M	B	Sha512WithRSAEncryption OBJECT IDENTIFIER ::= { iso(1) member-body(2) us(840) rsadsi(113549) pkcs(1) pkcs-1(1) 13 }
Issuer	CN = Bypass Class 3 Root CA G2 <ca id> O = Bypass AS OrganizationIdentifier = NTRNO-983163327 C = NO	M	B	<ca id> is 'HT', 'ST' or 'QC'.
This Update	UTCTime	M	B	Time of CRL generation
Next Update	UTCTime	M	B	Latest time the next CRL is issued
Revoked Certificates	List of non-expired revoked certificates	O	B	

Each entry in the RevokedCertificates list has the following content:

Field	Value	1)	2)	Comment
Serial Number	Serial Number of the revoked certificate	M	B	
Revocation Date	UTCTime	M	B	Date and time the revocation was registered
Revocation Reason	Reason Code for the revocation	O	N	

- 1) Mandatory or Optional field
- 2) Basic, Critical or Non-Critical extensions

3 Revocation status information

3.1 CRL

Bypass Class 3 Root CA: <http://crl.buypass.no/crl/BPClass3RootCA.crl>

Bypass Class 3 CA 2: <http://crl.buypass.no/crl/BPClass3CA2.crl>

Bypass Class 3 CA 3: <http://crl.buypass.no/crl/BPClass3CA3.crl>

[Bypass Class 3 Root CA G2 HT: http://crl.buypassca.com/BPCI3RootCaG2HT.crl](http://crl.buypassca.com/BPCI3RootCaG2HT.crl)

[Bypass Class 3 CA G2 HT Person: http://crl.buypassca.com/BPCI3CaG2HTPS.crl](http://crl.buypassca.com/BPCI3CaG2HTPS.crl)

[Bypass Class 3 CA G2 HT Business: http://crl.buypassca.com/BPCI3CaG2HTBS.crl](http://crl.buypassca.com/BPCI3CaG2HTBS.crl)

[Bypass Class 3 Root CA G2 ST: http://crl.buypassca.com/BPCI3RootCaG2ST.crl](http://crl.buypassca.com/BPCI3RootCaG2ST.crl)

[Bypass Class 3 CA ST Business: http://crl.buypassca.com/BPCI3CaG2STBS.crl](http://crl.buypassca.com/BPCI3CaG2STBS.crl)

[Bypass Class 3 Root CA G2 QC: http://crl.buypassca.com/BPCI3RootCaG2QC.crl](http://crl.buypassca.com/BPCI3RootCaG2QC.crl)

[Bypass Class 3 CA QC WS: http://crl.buypassca.com/BPCI3CaG2QCWA.crl](http://crl.buypassca.com/BPCI3CaG2QCWA.crl)

3.2 OCSP

Buypass Class 3 Root CA and Buypass Class 3 CA 2:

- <http://ocsp.buypass.com>

Buypass Class 3 CA 3:

- <http://ocsp.buypass.no/ocsp/BPClass3CA3> – for certificates according to National legislation
- <http://ocspec.buypass.com>

Buypass Class 3 CA G2 HT Person:

- <http://ocspgs.buypassca.com>

Buypass Class 3 CA G2 HT Business and Buypass Class 3 CA ST Business:

- <http://ocspbs.buypassca.com>

Buypass Class 3 CA QC WS:

- <http://ocspwa.buypassca.com>